

Attic

Ladders

Space
for life

> **Easy To Use**

- Unique spring system takes the full weight of the attic ladder into the ceiling

> **Built Tough**


- 200 - 250kg load ratings
- High grade steelwork

> **Easy To Install**

- Fully preassembled
- White prefinished lid

> **Designed In NZ**

- 15 year residential warranty
- Technical support available



Premier Range

- > 200kg load rating
- > Designed in New Zealand
- > 15 year warranty
- > Safety handrail
- > Insulated, prefinished lid

Models / Heights

- P30** - 2250mm - 3050mm
- P36** - 3050mm - 3660mm

Deluxe Range

- > 250kg load rating
- > Designed in New Zealand
- > 15 year warranty
- > Safety handrail
- > Gentle angle & deeper treads

Models / Heights

- D28** - 2250mm - 2800mm
- D30** - 2800mm - 3100mm
- D36** - 3100mm - 3660mm

Truss Range

- > Fits between trusses
- > 200kg load rating
- > Designed in New Zealand
- > 15 year warranty
- > Insulated, prefinished lid

Models / Heights

- Q24** - 2250mm - 2440mm

Commercial Range

- > 200kg load rating
- > Designed in New Zealand
- > 5 year commercial warranty
- > Heavy duty aluminium
- > Easy slide height adjustment

Models / Heights

- A25** - 2300mm - 2450mm
- A28** - 2550mm - 2700mm
- A36** - 2700mm - 3660mm

Specifications

Range	Premier		Deluxe			Truss
Model	P30	P36	D28	D30	D36	Q24
Ceiling Height	2250-3050	3050-3660	2250-2800	2800-3100	3100-3660	2250-2440
Opening Required	1300x600	1300x600	1400x650	1450x650	1450x650	835x650
Max Load	200kg	200kg	250kg	250kg	250kg	200kg
Angle	68°	68°	63°	63°	63°	70°
Material	Timber	Timber	Timber	Timber	Timber	Timber
Tread Profile						
Tread Depth	80	80	120	120	120	80
Ladder Width	380	380	430	430	430	430
Landing Space	1095-1414	1418-1667	1337-1634	1362-1770	1770-2055	1005-1076
Projection	1770	1763	1854	1994	1995	1238
Stack Height	320	410	400	400	525	420
Handrail	✓	✓	✓	✓	✓	-
Rubber Feet	✓	✓	✓	✓	✓	✓
Insulated Lid	✓	✓	✓	✓	✓	✓
Warranty (years)	15	15	15	15	15	15

Uses **Residential**

Range	Commercial		
Model	A25	A28	A36
Ceiling Height	2300-2450	2550-2700	2700-3660
Opening Required	1400x650	1400x650	1400x650
Max Load	200kg	200kg	200kg
Angle	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium
Tread Profile			
Tread Depth	100	100	100
Ladder Width	425	425	425
Landing Space	1088-1141	1180-1232	1232-1581
Projection	1517	1621	1777
Stack Height	423	423	529
Handrail	✓	✓	✓
Rubber Feet	✓	✓	✓
Insulated Lid	✓	✓	✓
Warranty (years)	5	5	5

Uses **Commercial**

