



Roof

Access

*Access
for life*

> Safer > Easier > Smarter

Roof Access



Retractable Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > High quality steelwork
- > Easy slide height adjustment
- > Easy to use

Models

- A25 - 2300mm - 2500mm
- A28 - 2550mm - 2800mm
- A36 - 2800mm - 3660mm

Fixed Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Fixed in position

Models

- FLA1000 - up to 1000mm
- FLA1000-2000 - 1000mm - 2000mm
- FLA2000-3000 - 2000mm - 3000mm
- FLA3000-4000 - 3000mm - 4000mm
- FLA4000-5000 - 4000mm - 5000mm

Pivotal Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Stored at 90°

Models

- PLA1000 - up to 1000mm
- PLA1000-2000 - 1000mm - 2000mm
- PLA2000-3000 - 2000mm - 3000mm
- PLA3000-4000 - 3000mm - 4000mm
- PLA4000-5000 - 4000mm - 5000mm



Roof Hatch

- > Built in 250mm upstand
- > Pneumatic stays
- > 2 point keyed locking system
- > High grade aluminium
- > Powder coated finish

Models

- SRH900700 - 900mm x 700mm
- SRH800800 - 800mm x 800mm
- SRH1200700 - 1200mm x 700mm
- SRH1200900 - 1200mm x 900mm
- SRH1500700 - 1500mm x 700mm

Roof Hatch Barrier

- > Full barrier protection
- > Prevents falls through hatch
- > Bolts to roof hatch upstand
- > Galvanised pipe clamp
- > Easy to install

Models

- RHB900700 - 900mm x 700mm
- RHB800800 - 800mm x 800mm
- RHB1200700 - 1200mm x 700mm
- RHB1200900 - 1200mm x 900mm
- RHB1500700 - 1500mm x 700mm




Roof Hatch Grabrail


- > Assists entry / exit
- > Used if barrier not required
- > Bolts to roof hatch upstand
- > Galvanised finish
- > Easy to install

Models






- RHG1000 - 1000mm height

Specifications

Range	Retractable Ladder		
Model	A25	A28	A36
Ceiling Height	2300-2500	2550-2800	2800-3660
Opening Required	1400x650	1400x650	1400x650
Max Load	300kg	300kg	300kg
Angle	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium
Tread Profile			
Tread Depth	100	100	100
Ladder Width	425	425	425
Landing Space	1088-1159	1180-1268	1268-1660
Projection	1537	1658	1777
Stack Height	423	423	529
Handrail	✓	✓	✓
Rubber Feet	✓	✓	✓
Insulated Lid	✓	✓	✓



Uses Commercial

Range	Fixed Ladder (FLA) & Pivotal Ladder (PLA)				
Models	FLA/PLA1000	FLA/PLA1000-2000	FLA/PLA2000-3000	FLA/PLA3000-4000	FLA/PLA4000-5000
Height	up to 1000	1000 - 2000	2000 - 3000	3000 - 4000	4000 - 5000
Max Load	300kg	300kg	300kg	300kg	300kg
Angle	70°	70°	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Tread Profile					
Tread Depth	100	100	100	100	100
Ladder Width	446	446	446	446	446
Handrails	-	-	✓	✓	✓

Uses Commercial

Range	Roof Hatch				
Model	SRH900700	SRH800800	SRH1200700	SRH1200900	SRH1500700
Trim Size	900 x 700	800 x 800	1200 x 700	1200 x 900	1500 x 700
Upstand	250	250	250	250	250
Thickness	2.5	2.5	2.5	2.5	2.5
Barrier	RHB900700	RHB800800	RHB1200700	RHB1200900	RHB1500700

Uses Commercial