

Roof

Access

*Access
for life*

sellwood.co.nz


sellwood

> Safer > Easier > Smarter

Roof Access



Retractable Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > High quality steelwork
- > Easy slide height adjustment
- > Easy to use

Models

A25 - 2300mm - 2500mm
A28 - 2550mm - 2800mm
A31 - 3000mm - 3160mm
A34 - 3250mm - 3400mm
A36 - 3500mm - 3660mm



Fixed Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Fixed in position

Models

FLA1000 - up to 1000mm
FLA1000-2000 - 1000mm - 2000mm
FLA2000-3000 - 2000mm - 3000mm
FLA3000-4000 - 3000mm - 4000mm
FLA4000-5000 - 4000mm - 5000mm



Pivotal Ladder

- > 300kg load rating
- > Heavy duty aluminium
- > Custom built to height
- > Safety handrails
- > Stored at 90°

Models

PLA1000 - up to 1000mm
PLA1000-2000 - 1000mm - 2000mm
PLA2000-3000 - 2000mm - 3000mm
PLA3000-4000 - 3000mm - 4000mm
PLA4000-5000 - 4000mm - 5000mm



Roof Hatch

- > Built in 250mm upstand
- > Pneumatic stays
- > 2 point keyed locking system
- > High grade aluminium
- > Powder coated finish

Models

SRH900700 - 900mm x 700mm
SRH800800 - 800mm x 800mm
SRH1200700 - 1200mm x 700mm
SRH1200900 - 1200mm x 900mm
SRH1500700 - 1500mm x 700mm



Roof Hatch Barrier

- > Full barrier protection
- > Prevents falls through hatch
- > Bolts to roof hatch upstand
- > Galvanised pipe clamp
- > Easy to install

Models

RHB900700 - 900mm x 700mm
RHB800800 - 800mm x 800mm
RHB1200700 - 1200mm x 700mm
RHB1200900 - 1200mm x 900mm
RHB1500700 - 1500mm x 700mm



Roof Hatch Grabrail


- > Assists entry / exit
- > Used if barrier not required
- > Bolts to roof hatch upstand
- > Galvanised finish
- > Easy to install

Models

RHG1000 - 1000mm height

Specifications

Range	Retractable Ladder				
Model	A25	A28	A31	A34	A36
Ceiling Height	2300-2500	2550-2800	3000-3160	3250-3400	3500-3660
Opening Required	1220x650	1370x650	1440x650	1525x650	1525x650
Max Load	300kg	300kg	300kg	300kg	300kg
Angle	70°	70°	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Tread Profile					
Tread Depth	100	100	100	100	100
Ladder Width	425	425	425	425	425
Projection	1467	1589	1801	1892	2027
Landing Space	1092	1201	1332	1420	1514
Handrail	✓	✓	✓	✓	✓
Rubber Feet	✓	✓	✓	✓	✓
Uses	Commercial				



Range	Fixed Ladder (FLA) & Pivotal Ladder (PLA)				
Models	FLA/PLA1000	FLA/PLA1000-2000	FLA/PLA2000-3000	FLA/PLA3000-4000	FLA/PLA4000-5000
Height	up to 1000	1000 - 2000	2000 - 3000	3000 - 4000	4000 - 5000
Max Load	300kg	300kg	300kg	300kg	300kg
Angle	70°	70°	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Tread Profile					
Tread Depth	100	100	100	100	100
Ladder Width	446	446	446	446	446
Handrails	-	-	✓	✓	✓
Uses	Commercial				

Range	Roof Hatch				
Model	SRH900700	SRH800800	SRH1200700	SRH1200900	SRH1500700
Trim Size	900 x 700	800 x 800	1200 x 700	1200 x 900	1500 x 700
Upstand	250	250	250	250	250
Thickness	2.5	2.5	2.5	2.5	2.5
Barrier	RHB900700	RHB800800	RHB1200700	RHB1200900	RHB1500700
Uses	Commercial				