

Attic

Ladders

Space
for life

> Easy To Use

- Unique spring system takes the full weight of the attic ladder into the ceiling

> Built Tough

- 200 - 300kg load ratings
- High grade steelwork

> Easy To Install

- Fully preassembled
- Ready for installation

> Designed In NZ

- 10 to 15 year residential warranty
- FREE 5 year extension available



Premier Range

- > 200kg load rating
- > Designed in New Zealand
- > 15 year warranty
- > Safety handrail
- > Insulated, prefinished lid

Models / Heights

P30 - 2250mm - 3050mm
P36 - 3050mm - 3660mm

Deluxe Range

- > 250kg load rating
- > Designed in New Zealand
- > 10 - 15 year warranty
- > Safety handrail
- > Gentle angle & deeper treads for easier climb

Models / Heights

D28 - 2250mm - 2800mm
D36 - 3100mm - 3660mm

Truss Range Q24

- > Fits between trusses
- > Designed in New Zealand
- > 15 year warranty
- > 4 section folding ladder
- > Insulated, prefinished lid

Models / Heights

Q24 - 2250mm - 2440mm

Commercial Range


- > 300kg load rating
- > Designed in New Zealand
- > 5 year commercial warranty
- > Heavy duty aluminium
- > Easy slide height adjustment in most applications

Models / Heights

A25 - 2300mm - 2500mm
A28 - 2550mm - 2800mm
A36 - 2800mm - 3660mm

Specifications

Range	Premier		Deluxe		Truss
Model	P30	P36	D28	D36	Q24
Ceiling Height	2250-3050	3050-3660	2250-2800	3100-3660	2250-2440
Opening Required	1300x600	1300x600	1400x650	1440x650	835x650
Max Load	200kg	200kg	250kg	250kg	200kg
Angle	68°	68°	63°	63°	70°
Material	Timber	Timber	Timber	Timber	Timber
Tread Profile					
Tread Depth	80	80	120	120	80
Ladder Width	380	380	430	430	430
Projection	1770	1763	1854	2039	1238
Landing Space	1414	1667	1635	2071	1076
Handrail	✓	✓	✓	✓	-
Rubber Feet	✓	✓	✓	-	✓
Insulated Lid	✓	✓	✓	-	✓
Warranty (years)	15	15	15	10	15
Uses	Residential		Residential		Residential



Range	Commercial		
Model	A25	A28	A36
Ceiling Height	2300-2500	2550-2800	2800-3660
Opening Required	1400x650	1400x650	1400x650
Max Load	300kg	300kg	300kg
Angle	70°	70°	70°
Material	Aluminium	Aluminium	Aluminium
Tread Profile			
Tread Depth	100	100	100
Ladder Width	425	425	425
Projection	1537	1658	1777
Landing Space	1159	1268	1660
Handrail	✓	✓	✓
Rubber Feet	✓	✓	✓
Insulated Lid	✓	✓	✓
Warranty (years)	5	5	5
Uses	Commercial/Industrial		